

TaiShan
SINCE 1978

TAISHAN | 2024
SPORTS

GYMNASTICS



Taishan Sports

TaiShan Sports Brings Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co., Ltd

01 Taishan Sports

About Us	02
Company Info	03
FIG Certifications	04

02 Gymnastics Series

Parallel Bars	07
Horizontal Bars	15
Ring Frame	20
Pommel Horse	25
Vaulting Table	31
Uneven Bars	39
Balance Beam	45
Artistic Floor	51
Club Gymnastics	57
Trampoline	63
Happy Gymnastics	78
Ninja Series	85
Landing Mats	91

03 Event Cases

Events	100
Cases Design	103

01

TAISHAN SPORTS

Abouts Us

02

Company Info

03

FIG Certifications

04



— Abouts Us —

One-stop Global Sports Solution Service



Zero Complaints

We have served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, with "Zero Complaints".



Zero Breakdowns

As the world's top event service provider, We take high product quality seriously and will settle for nothing less than equipment "Zero Breakdown".



Zero Faults

With "Zero Failure" service level and the value pursuit of "no small matters in game" in mind, we have built the world's leading sports brand.

Company Info

As a world-famous sports equipment manufacturer and seller, Taishan Sports is now leading China's sports industry. It has successfully served multiple major sports events, such as Olympic Games, Youth Olympic Games, Asian Games, FISU World University Games, and National Games, using its pioneering CD2S (Consult, Design, Supply, and Service) service model for major sports events. Credited as "an Olympic miracle" by the former IOC president Jacques Rogge, Taishan Sports' high standard service with "Zero Faults, Zero Breakdowns, Zero Complaints" has made itself a proud national brand.

Entitled as National Sports Goods Engineering Technology Research Center, National Industrial Design Center, National Enterprise Technology Center, and Postdoctoral R&D Station, Taishan Sports is fully capable of conducting R&D of and testing on national level sports goods. With nearly 300 patents in hand, it has led and participated in setting over 60 domestic and international sports industry standards. More than 100 of its products have been approved by FIG, IJF, WT, UWW, WA, and IWUF, and its XPE multifunctional sports mats are listed on the China Torch Program. With all of its competitive gymnastic equipment approved by FIG, Taishan Sports has unprecedentedly adopted carbon fiber composite in production, never stopping technological innovation and material upgrade. Meanwhile, it continues to popularize gymnastic equipment and has come up with products for children and the elderly, creating "Taishan quality shared around the globe".

Qualifications



Official FIG Partner



2008 Beijing Olympic Games



The 11th National Games



The 16th National Games



2011 Shenzhen Universiade



The 8th Artistic Gymnastics Asian Championships



The 12th National Games



The 7th National City Games



The 45th Artistic Gymnastics world Championships



The 2nd Nanjing Youth Olympic Games



2017 Taipei Universiade



2018 Doha Artistic Gymnastics world Championships



2018 Doha Artistic Gymnastics world Championships



2018 Indonesia Asian Games



2019 Naples Universiade



The 1st Artistic Gymnastics Asian Youth Championship



The 1st Rhythmic Gymnastics Asian Youth Championship

FIG Certifications

We have the most of the FIG Certifications in China



02

GYMNASTICS SERIES

Parallel Bars
07-14

Horizontal Bars
15-19

Ring Frame
20-24

Pommel Horse
25-30

Vaulting Table
31-38

Uneven Bars
39-44

Balance Beam
45-50

Artistic Floor
51-56

Club Gymnastics
57-62

Trampoline
63-77

Happy Gymnastics
78-84

Ninja Series
85-90

Landing Mats
91-98



Parallel Bars



Horizontal Bars



Ring Frame



Pommel Horse




Vaulting Table



Uneven Bars



Balance Beam




Artistic Floor



Club Gymnastics



Trampoline



Happy Gymnastics



Ninja Series



Landing Mat

Parallel Bars

GYMNASTICS SERIES




Carbon-fiber Parallel Bars

New Composite Material

Model: JZ1016

- Bar length: 350cm; bar material: fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
- Each column is composed of 1 seamless stainless steel tube and 1 carbon fiber column that are glued together to ensure the coaxiality and stability of the column.
- Made of special, the lifting rod has a specially treated surface which ensures flexibility and quick adjustment.
- The base is made of rectangular stainless steel tube welded together.
- Height adjusts from 160cm to 210cm in (5±0.2)cm increment. Width adjusts steplessly from 42cm to 62cm. 230cm clearance between the uprights on the long side.
- 304 stainless steel inner adjustment tube and unique three-point locking device.
- Features: Ensures equipment safety and higher bar flexibility and stability in use. Surface finished with baked black paint.



Carbon Fiber



PARALLEL BARS

PARALLEL BARS




Competition Parallel Bars

FIG Certifications

Model: TQ1001B

- Bar length: 350cm; bar material: fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm. The improved bar has a Patented built-in safety device which effectively prevents sudden injury and personal injury.
- Each column is made of two seamless steel pipes riveted together through advanced thermal process to ensure stability.
- Lifting rod is made of stainless steel, which is resistant to corrosion, with treated surface to ensure the flexibility of the lifting process. Each gear is clearly marked with quick adjustment.
- The locking device handle adopts plastic-impregnated technology, which is extremely comfortable. The round nut is more secure and stable.
- The base is welded with high-quality rectangular steel tubes, and the X-shaped design enhances the overall stability.
- Height is adjustable between 160cm-210cm, with each increment of 5cm, with stepless adjustment between 42cm-62cm, distance between columns is 230cm.
- Features: Ensures the safety using the equipment while increasing the bar surface elasticity. Overall stability of the parallel bars is guaranteed. Surface is baking varnish (red, Pantone 1955c).
Advantages: Anti-fracture surface, anticorrosion of metal parts, height and width adjustment can be completed in one step.



Bars

Type	Competition Parallel Bars	Training Parallel Bars	Children Parallel Bars
Model	TQ1001B.03	TQ2001.03	TQ2003.01.04
Length	350cm	350cm	170cm



Training Parallel Bars

- Model: TQ2001A
 1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
 2. Bars adjust from 160cm to 210cm in 5cm increment. Distance between two bars can steplessly adjust from 42cm to 62cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Mobile Training Parallel Bars

- Model: TQ2001A/1
 1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
 2. Bars adjust from 140cm to 200cm in 5cm increment. Distance between two bars can steplessly adjust from 42cm to 62cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (gray). It is an solid system that consists of bars, uprights, and base. Leveling device on the base for uneven floor. 4 wheel for easy move.



Juvenile Training Parallel Bars

- Model: TQ2002A
 1. Bar length: 270cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
 2. Bars adjust from 120cm to 170cm in 5cm increment. Distance between two bars can steplessly adjust from 32cm to 42cm.
- Features: Suitable for juvenile training. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Low Parallel Bars

- Model: TQ2004
 1. Bar length: 270cm; material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
 2. Distance between two bars can be steplessly adjusted from 32cm to 42cm. Columns on the long side are 200cm apart.
- Features: Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.



Multifunctional Parallel Bars

- Model: TQ2071
 1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; major axis length: 5cm; minor axis length: 4cm.
 2. One bar can adjust from 132cm to 192cm, the other from 132cm to 232cm, all in 5cm increment. Distance between two bars can steplessly adjust from 39cm to 59cm.
- Features: Highly safe and stable. Elastic bar surface finished with baked varnish (gray). It is an solid system that consists of bars, uprights, and base. Leveling device on the base for uneven floor. 4 wheel for easy move.

PARALLEL BARS



Parallel Bars Safety Bench

- Model: TQ2047
Bench size: 255cm*25.5cm
Weight: 34kg
Material: High quality red pine with eco-friendly varnished surface.
- Features: A training assistant device for parallel bars, suitable for juvenile practicers. Its special locking handle allows for easy height adjustment. Metal part spray-painted in silver and consists of bench surface ring, adjusting tube, and lifting frame.



Children Parallel Bars

- Model: TQ2003
1. Bar diameter: 4cm; length: 170cm; material: high quality fiberglass with wooden cover.
2. Bars adjust from 95cm to 135cm in 5cm increment. Distance between bars can steplessly adjust from 26cm to 130cm.
- Features: Uprights with special locking handles for quick height adjustment and connected to the base through special clamping screw knobs for quick bar distance adjustment. Surface finished with baked varnish (silver). It is an solid system that consists of bars, uprights, and base.

Parallel Bars Training Blocks

Model	Dimensions		
	L 160cm	W 60cm	H 100cm
TQ2006	L 160cm	W 60cm	H 100cm
TQ2006/1	L 160cm	W 60cm	H 120cm

- Material: Blocks filled with eco-friendly material, has increased elasticity to prevent injury during training, and are linked through Velcro tapes to ensure stability.
- Features: Blocks are elastic and stable. Uprights are connected to the base through special clamping screw knobs for quick, stepless blocks distance adjustment. Surface of the metal part finished with baked varnish (silver). It is an solid system that consists of blocks, uprights, and base.



PARALLEL BARS

Parallel Bars Cart

Model	TQ2048 (for TQ1001)	TQ2048A (for TQ1001B)
	Dimension	100cm×100cm×20cm
Weight	7.5kg	

- Features: The cart can lever up parallel bars easily. Heavy duty caster wheels allow free movement while preventing damage to the floor. Surface spray-painted in silver.



Horizontal Bars

GYMNASTICS SERIES




Carbon-fiber Horizontal Bar

New Composite Material

Model: JZ1017

- The bar is 2.8cm in diameter and 240cm in length, made of special elastic material and has anti-rust columns at either end which are 240cm apart.
- The uprights are made of carbon fiber composite material.
- The positioning pins in the adjusting columns allow for easy, quick adjustment.
- Each tension cable uses stainless steel wire which is 0.6cm in diameter and two turnbuckles for quick tightening.
- The bar adjusts from 275cm to 295cm in 5cm increment with special locking system. The floor embedded parts are 5500mm apart on the long side and 4000mm on the short side.
- Features: The height adjustment is quick and convenient. The locking system is firm and stable. The double-tension-cable system increases overall elasticity and stability. The oversize column feet can disperse shock and absorb pressure for athletes. Surface is finished with baked paint (black).



Carbon Fiber






Competition Horizontal Bar

- Model: TQ1002
 1. The bar is 2.8cm in diameter, 240cm long, and made of elastic material.
 2. The uprights are made of high quality $\phi 6 \times 0.4$ cm machined seamless steel tubes.
 3. The adjusting columns are made of high quality $\phi 5 \times 1$ cm seamless steel tubes with specially treated surface to ensure easy adjusting.
 4. Each tension cable uses stainless steel wire which is 0.6cm in diameter and two turnbuckles for quick tightening.
 5. The bar adjusts from 270cm to 305cm in 5cm increment with special locking system.
- Features: The height adjustment is quick and convenient. The locking system is firm and stable. The double-tension-cable system increases overall elasticity and stability. The oversize column feet can disperse shock and absorb pressure for athletes. It can be used for competition and training. Surface is finished with baked varnish (red, PANTONE 1955c). It is an solid system that weighs 80kg and consists of bar, uprights, and tension cables.

Bar

Type	For Competition Horizontal Bar	For Children Horizontal Bar	Multifunctional Horizontal Bar
Model	TQ1002.01	TQ2003.01.04	TQ2007.07
Dimension	Length 240cm, diameter 2.8cm	Length 170cm, diameter 4cm	Length 240cm, bar surface: $\phi 2.8$ cm



Horizontal Bar Counterweight

- Model: TQ2009A

Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg.
Material: The counterweights are made of high quality carbon steel. The frame is welded 5*0.3cm rectangular steel tubes.
- Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.



Detachable Children Horizontal Bar

- Model: TQ2008/3

Weight: 45kg
Specification: Bar is 130cm long and has a diameter of 4cm. It adjusts from 90cm to 150cm in 5cm increment.
Bar material: High quality fiberglass with wooden cover.
- Features: The detachable design allows for easy transportation and increases structural stability. The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted. It is a solid system that consists of bar, uprights, base, and adjustable tubes.

Horizontal Bar Safety Bench

- Model: TQ2054

Specification: The supporting platform is 100cm long and 45cm wide.
Weight: 28kg
- Features: The supporting platform can easily adjust height with the special adjustment locking handle. It is suitable for assisting horizontal bar practice. Frame is spray-painted (silver). The whole system consists of supporting platform, lifting tube, frame, and base.



Children Horizontal Bar (A)

- Model: TQ2008
Specification: Bar is 170cm long and has a diameter of 4cm and adjusts from 155cm to 195cm in 5cm increment.
Bar material: High-quality fiberglass with wooden cover.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the bar height. The uprights and the base are connected through a special fastening device so that the position of the bar can be quickly adjusted. Surface is spray-painted in silver. It is a solid system that consists of bar, uprights, base, and adjustable tubes.




Multifunctional Horizontal Bar


- Model: TQ2007
1. Bar is 240cm long and had a diameter of 2.8cm.
2. The outer tubes have special locking lifting handles. The ear places allow for quick replacement of the bar during training.
3. Tension cables are made of $\phi 0.6$ cm stainless steel wires with turnbuckles for quick adjustment.
4. Bar adjusts from 90cm to 280cm.
- Features: Height adjustment is quick and easy and not limited by the tension cables. The feet can disperse shock and absorb pressure for athletes. It is a solid system that consists of bar, uprights, base, adjustable tubes, and tension cables.

Ring Frame

GYMNASTICS SERIES



Carbon Fiber



Carbon Fiber Ring

New Composite Material

Model: JZ1012

- Height adjusts from 580cm to 595cm. The two uprights are 346cm apart, and the two rings 50cm apart. The whole system covers a floor area of 400*550cm.
- Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjust from 280cm to 295cm off the ground in 2.5cm increment. The inner diameter of the ring is $\phi 18$ cm, its cross section has a diameter of $\phi 2.8$ cm.
- Crossbeam is made of carbon fiber composite material with built-in rubber spring device for enhanced shock absorption.
- Uprights is made of carbon fiber composite material for increased durability and stability.
- Lifting rods with positioning pins ensure flexible adjustment. The lifting increment is 2.5cm.
- Tension cables are made of $\phi 0.6$ cm stainless steel wires with 4 turnbuckles for quick adjustment.
- Features: Rings are connected to elastic frame through special steel cables and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is finished with baked paint (black).



Competition Ring

- Model: TQ1006B
 1. The height is 611cm. The two uprights are 314cm apart and the two rings 50cm apart.
 2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjust from 270cm to 300cm off the ground in 2.5cm increment.
 3. Crossbeam is high quality 12*8cm tubes welded together with built-in rubber spring device for enhanced shock absorption.
 4. Uprights is high quality 6*8*0.2cm and 5.5*7.5*0.2cm rectangular tubes welded together for increased durability and stability.
 5. Lifting rods are made of 7.5*5.5cm steel tube with specially treated surface for easier adjustment. The lifting increment is 5cm.
 6. Tension cables are made of φ0.6cm stainless steel wires with 4 turnbuckles for quick adjustment.
- Features: Rings are connected to rubber spring device through special steel cables and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is finished with baked varnish (red, PANTONE 1955c).
Advantages: Rings are anti-fracture, and have strong moisture and sweat absorption.



Training Ring

- Model: TQ2030A
 1. The height is 580cm. The two uprights are 313cm apart and the two rings 50cm apart.
 2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjust steplessly from 80cm to 270cm off the ground.
- Features: Rings are connected to the crossbeam through stainless steel cables and cowhide belts and evenly loaded to provide athletes with sufficient buffer to prevent hand injuries. The oversize feet can disperse shock and absorb pressure for athletes. Doubled tension cables enhance the overall stability. Surface is spray-painted (silver). It is a solid system that consists of crossbeam, uprights, rings, tension cables, and shock absorbing device.



Wall Ring

- Model: TQ2033
 1. Arms are 180cm long and rings are 50cm apart.
 2. Rings are made of composite wood which has strong moisture and sweat absorption. Rings adjust steplessly from 80cm to 270cm off the ground.
- Features: Rings are connected to the wall mounting frame through stainless steel cables and cowhide belts. Tension cables enhance the overall stability. Surface is spray-painted (silver). It is a solid system that consists of wall mounting frame, fixing flanges, rings, tension cables, and shock absorbing device.



Ring Counterweight

- Model: TQ2023A
Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg. Material: The counterweights are made of high quality carbon steel. The frame is welded 5*0.3cm rectangular steel tubes.
- Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.

Arm Strength Trainer for Ring

- Model: TQ2031
Dimension: 260*81*75/120cm
Sliding board dimension: 70*34cm
Sliding board is covered with special fiber leather and uses plywood board and heavy duty sponge on the inside. The special sliding device allows for smooth sliding.
- Features: Smooth sliding, easy height adjustment, and overall stability. Surface is spray-painted (silver). The apparatus consists of sliding board, frame, adjusting tubes, uprights, and rings.



Children Ring

- Model: TQ2032
1. Rings have a diameter of 16cm and are made of composite wood with strong moisture absorption.
2. Rings adjust from 115cm to 145cm in 5cm increment.
- Features: The special locking lifting handles on the uprights ensure quick adjustment of the ring height. Uprights are connected to the base through special clamping screw knobs for higher stability and safety. Surface is spray-painted (silver). It is a solid system that consists of crossbar, uprights, base, and rings.



Ring Hook

- Model: TQ2094
Specification: Ring hood is 1650mm long and 64mm wide. Its body is 2.2cm in diameter and the hook is 0.6cm in diameter.
Material: Aluminum Alloy



Rings and Ring Slings

- Model: TQ1006B.03
Material: Rings are made of beech plywood. Stainless steel wires and cowhide ring straps are hung on the shock-absorbing bearing system.



Iron Cross Trainer

- Model: TQ2034
Dimension: 33.4*17*10cm
Material: The nylon rubber band is built in the main frame. The proper elasticity ensures comfortable touch. The frame is made of high quality carbon steel tubes and hooks welded together and has special hanging device.
- Features: An Iron Cross training aid device that effectively enhances arm and wrist strength. The special elastic fastening device can prevent hand injuries. The hanging device increases overall stability. Surface is spray-painted (silver). It consists of frame, fixing flange, rings, ropes, and shock absorbing device.



Ring Safety Bench

- Model: TQ2052
Specification: The supporting platform is 80cm long and 50cm wide and can adjust height easily with the special adjustable locking handle.
- Features: It is suitable for assisting ring practicers. Surface is spray-painted (silver). The whole system consists of supporting platform, lifting tube, frame, and base.

Pommel Horse

GYMNASTICS SERIES

Carbon-fiber Pommel Horse


New Composite Material

Model: JZ1013

- Bench surface is made of cowhide. Made of one-step hot pressed wood, bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high. Heavy duty sponge is glued to the upper part of the body.
- Legs are made of carbon fiber composite material. Leg protective sleeves are required during competitions (order separately).
- Lifting rods with positioning pins allow for easy, quick, and flexible adjustment.
- The curved base is made of high quality pressed rectangular steel tubes and 4 moving wheels.
- Pommels are 12cm high. The bench adjusts from 110cm to 130cm in 5(±0.2)cm increment above the ground. The inner distance of pommels adjusts from 374mm to 482mm.
- Supporting parts dimensions: Main tubes are made of carbon fiber composite material. The inner adjusting tubes are made of 80*60*4mm steel tubes with chrome plating rust prevention treatment. Moving wheels and floor protective devices are on the bottom.
- Features: Special cowhide ensure moisture absorption. Heavy duty sponge and hot pressing wood body improves shock absorption to prevent joint injuries for athletes from long-term use. The integrated moving wheels save transporting time. The surface is finished with baked paint (black).



Carbon Fiber





Competition Pommel Horse

- Model: TQ1004B
 1. Bench surface is made of cowhide. Made of one-step hot pressing wood, bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high. A high quality soft layer is glued to the upper part of the body.
 2. Legs are made of 7.5*12.5cm high quality rectangular tubes welded together.
 3. Lifting rods are made of 5*10cm high quality rectangular tubes with treated surface for flexible adjustment.
 4. The curved base is made of high quality pressed rectangular steel tubes and 4 moving wheels.
 5. Pommels are 12cm high. The bench adjusts from 95cm to 125cm in 5(±0.2)cm increment above the ground.
- Features: This new type of pommel horse uses special leather that increases friction. The change of bench shape is conducive to athletes' performance. It is suitable for professional competition and training. The surface is finished with baked paint (red, PANTONE 1955c). The apparatus weighs 76kg and consists of pommels, bench body, supporting legs, and base. Leg protective sleeves are required during competitions (order separately).



Training Pommel Horse

- Model: TQ2024
 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
 2. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The bench adjusts from 95cm to 125cm in 5.5cm increment above the ground.
- Features: Heavy duty sponge and transverse pressure infill improves shock absorption to prevent joint injuries to athletes from long-term use. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, supporting legs, and base.



Rotating Mushroom Trainer

- Model: TQ2029
 1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
 2. The round platform has a specially processed soft layer and covered with special fiber.
- Features: The oversize round platform provides more supporting area for athletes. The one-piece mushroom using injection molding increases overall flexibility and stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, round platform, upright, and base.



Adjustable Mushroom Trainer

- Model: TQ2026
 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
 2. The mushroom head adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, and base.



Pommel Horse Components

- Model: TQ1004.02 (Apply to TQ1004, TQ1004B)



Low Pommel Horse (A)

- Model: TQ2025
 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body is 160cm long, 35cm wide on the upper side, 30cm wide on the lower side, and 28cm high.
 2. Base is made of laminated multiplayer board that provides good overall elasticity and stability.
 3. Pommels are 12cm high and the distance in between adjusts from 40cm to 45cm. The apparatus is 37cm high.
- Features: The wooden bow-shaped base increases overall flexibility and stability. Surface is spray-painted (silver). The apparatus consists of pommels, bench body, and wooden base.



Low Pommel Horse (B)

- Model: TQ2045
 1. Bench surface is made of special fiber leather. The one-step hot pressed bench body has a flexible layer on top and is 160cm long, 36.2cm wide on the upper side, and 16.6cm high.
 2. The distance between two pommels adjust from 40cm to 45cm. The apparatus adjusts from 50cm to 65cm off the ground in 5cm increment.
- Features: Bench body has improved shock absorption that prevents joint injuries to athletes from long-term use. The locking adjustment device allows for quick height adjustment. The surface is spray-painted (silver). The apparatus consists of pommels, bench body, lifting rod, and base.



Mushroom Trainer (A)

- Model: TQ2050

Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 100cm.
- Features: Welded one-piece base increases the overall stability. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head and base.



Mushroom Trainer (B)

- Model: TQ2055
 1. Surface of the mushroom is made of special fiber leather. The mushroom is one-step hot pressed and has a diameter of 60cm.
 2. The mushroom head is 46.3cm high.
- The mushroom head using injection molding increases the overall elasticity and stability. The apparatus is for happy children gymnastic equipment and consists of mushroom head, upright, and base.



Single Pommel Mushroom Trainer

- Model: TQ2027
 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
 2. Pommel is 12cm high. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.



Double Pommel Mushroom Trainer

- Model: TQ2028
 1. Surface of the mushroom head is made of special fiber leather. The mushroom head is one-step hot pressed and has a diameter of 60cm with a soft layer on top.
 2. The distance between pommels is adjustable. The apparatus adjusts from 50cm to 70cm in 5cm increment.
- Features: The one-piece mushroom head using injection molding increases overall flexibility and stability. Three special footpads and one rubber micro adjustment device can effectively protect floor and be used on uneven site. Surface of the metal part is spray-painted (silver). The apparatus consists of mushroom head, adjusting tube, base, and pommel.



Mobile Pommel Horse Counterweight

- Model: TQ2073
 1. It is made of steel plates for easy moving and is suitable for stadiums without floor anchor.
 2. Weight: 100kg



Pommel Horse Protective Cover

- Model: TQ2038 (apply to TQ1004- TQ1004B)

Features: It is made of XPE specifically for gymnastics. Difference Colors are available.

Vaulting Table

GYMNASTICS SERIES

VAULTING TABLE



Carbon-fiber Vaulting Table


New Composite Material

Model: JZ1015

- The body is 120cm long and 95cm wide. The table body is made of one-step hot pressed multilayer board and coated with special material. Special shock-absorbing material is glued to the upper surface. The movement area and the warning area are clearly distinguished. The table body is made of EV50, natural rubber particles, and microfiber leather. The 3° elevation allows for easy aiming.
- The outer bushing of the upright is made of composite material to ensure durability. The inner tube is made of high quality steel plates welded together with specially treated surface to ensure easy adjustment.
- The overall height is adjustable from 110cm to 140cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. Surface is finished with baked paint (black). The apparatus weighs 142kg and consists of table body, upright, protective cover, and locking system.




Carbon Fiber






Vaulting Table

- Model: TQ1005B
 1. The body is 120cm long and 95cm wide. The table body is made of reinforced fiberglass composite material and coated with special material. Special shock-absorbing material is glued to the upper surface.
 2. The upright is made of high quality 0.5cm thick steel tube with specially treated surface to ensure flexible adjustment. Multifunctional locking device separated the inner tube and the outer bushing of the upright if turned counter-clockwise. The table body can be adjusted only when the safety knob is pulled and automatically locked when released.
 3. Base is made of high quality steel plate welded together and has 4 micro adjusting devices to protect the floor and be used on uneven surface.
 4. The overall height is adjustable from 105cm to 135cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. A 0.1cm high micro adjusting device is located on the bottom of each leg for easy leveling. Normally leveling can be accomplished by adjusting only one leg. Surface is finished with baked varnish (red, PANTONE 1955c).
Advantages: One-step formed table body increases the overall durability. Table surface has high friction and can absorb magnesium powder more easily. The soft layer increases elasticity and is conducive to athletes' performance.




Track

- Model: TQ1543
- Specification: 2500cm×100cm×2cm
- Material: Track is made of head-sealed XPE and blanket.



Square Sponge Vaulting Table

- Model: TQ2523/1
- Dimension: 130*95*95cm
- Weight: 58kg
- Material: XPE and heavy duty sponge
- Features: It provides assistance during training and is suitable for beginners.



Mobile Vaulting Table Counterweight

- Model: TQ2056
- 1. It is made of steel plates, suitable for stadiums without floor anchor, and can be moved easily.
- 2. Weight: 170kg



Folding Vault Board

- Model: TQ2005A
Dimension: 440*100cm*2.5cm
Material: It is made of birch wood and gymnastic blanket with anti-slip surface.



Training Vaulting Table

- Model: TQ2022A
1. The apparatus is 120cm long and 95cm wide and made of molded glass fiber. Special shock-absorbing material glued to the upper surface provides ample buffer. The movement area and the warning area are clearly distinguished.
2. The overall height is adjustable from 110cm to 135cm in 5cm increment.
- Features: The tongue-shaped platform can effectively avoid accidents and injuries to athletes. The one-step formed upright increases overall safety. The table has improved moisture absorption and antislip. The metal parts are electrostatic painted. Standard color is silver. Other colors are available.



Vaulting Table Base Pad

Model	Specification
TQ2647 (Apply to TQ1005)	100cm×100cm×20cm
TQ2647A (Apply to TQ1005B)	

- Material: PVC material cover, eco-friendly XPE infill.
Features: Good stability, easy to assemble, soft surface, appropriate flexibility. Mainly used for competition and training of Vaulting.



Hand Pad

- Model: TQ1561
Dimension: 120*100*3cm
Material: Micro fiber leather and XPE foam
Features: It is eco-friendly, has good stability and soft touch, and can be easily installed.



Field Measuring Tape

- Model: TQW0327
Specification: It has a dip stick for measuring vault track. Maximum measuring length is 30m.



U-shaped Mat II

- Model: TQ2540/1
Dimension: 120*101*22/10.8cm
Material: PVC fabric and XPE foam
Features: It has good stability, comfortable surface, and moderate elasticity and can be easily installed. It is used as protective device for springing board.

U-shaped Mat II (New Shape)

- Model: TQ2556
Specification: 1400*120*22/5cm
Material: PVC fabric and XPE foam
Features: It has good stability, comfortable surface, and moderate elasticity and can be easily installed. It is used as protective device for springing board.



Vault Run-up Start Link Marker

- Model: TQ2095
Specification: 100*5*5cm
Material: wood
Features: It has Velcro straps on the bottom.



Soft Springing Board (5 springs)

- Model: TQ1010B
Dimension: 120*60*22cm
Material: It is made of reinforced multilayer fiberglass composite board and gray nonwoven blanket with glued 2cm thick elastic rubber plastic foam. It consists of 5 precisely positioned conical springs of difference heights and safety device on the base, which is made of 2cm thick hot pressed multiplayer birch wood with anti-slip pads at the bottom.
- Features: This new springing board has increased impact resistance and shock absorbtion. The improved anti-slip pads is conducive to athletes' performance. It is suitable for professional competitions and trainings.
Advantages: It is anti-fracture and convenient for transportation, and has long service life.



Soft Springing Board (8 springs)

- Model: TQ1011B
Dimension: 120*60*22cm
Material: It is made of reinforced multilayer fiberglass composite board and gray nonwoven blanket with glued 2cm thick elastic rubber plastic foam. It consists of 8 precisely positioned conical springs of difference heights and safety device on the base, which is made of 2cm thick hot pressed multiplayer birch wood with anti-slip pads at the bottom.
- Features: This new springing board has increased impact resistance and shock absorbtion. The improved anti-slip pads is conducive to athletes' performance. It is suitable for professional competitions and trainings.
Advantages: It is anti-fracture and convenient for transportation, and has long service life.



Soft Training Springing Board (5 springs)

- Model: TQ2097
SDimension: 120*60*22cm
Material: It has 5 metal springs and rubber plastic buffering layer and is highly bouncy. Surface is covered with tufted blanket. The standard color is blue.



Soft Training Springing Board (7 springs)

- Model: TQ2096
Dimension: 120*60*22cm
Material: It has 7 metal springs and rubber plastic buffering layer and is highly bouncy. Surface is covered with tufted blanket. The standard color is blue.

Uneven Bars


GYMNASTICS SERIES

Competition Uneven Bars



Model: TQ1003B

- Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
- Uprights are made of $\phi 5\text{cm} \times 0.35\text{cm}$ high quality seamless steel tubes with special locking and adjusting system.
- The base is made of $12 \times 6 \times 0.3\text{cm}$ high quality flat oval steel tubes with 4 special rubber footpads to increase friction.
- The adjusting rods are made of $\phi 4.2\text{cm} \times 0.8\text{cm}$ high quality seamless steel tubes with specially treated surface. The additional assisting height adjusting handles make adjustment quick and easy.
- The tension system is made of $\phi 0.6\text{cm}$ stainless steel wires with 2 tensioners that allow for quick tension adjustment of the rope.
- The lower rail adjusts from 165cm to 195cm and the higher rail from 245cm to 270cm in 5cm increment. Distance between the two rail adjust steplessly from 110cm to 185cm.
- Features: Specially treated rail surface is conducive to athletes' performance. The optimized tension cable position realizes rail height adjustment without adjusting the length of tension cables while ensuring stability. The additional assisting height adjusting handles and height marks make adjustment quick and easy. The optimized base improves structural rigidity and appearance. The apparatus consists of rails, uprights, base, and tension systems and is suitable for professional competition and training. Surface is finished with baked paint (red, PANTONE 1955c).





Training Uneven Bars (A)

- Model: TQ2010
 1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
 2. The tension system is made of $\phi 0.6$ cm stainless steel wirerope, equipped with 2 quick adjustment devices, make the tension of tension ropes can be finished quickly.
 3. The height of the low rail is 135cm-185cm, high rail 205cm-255cm. The distance between two rails is 110cm-185cm steplessly adjustable.
- Features: The rails made of special technology is conducive to the athletes' exertion of difficult performance. The special locking&lifting system saves time for height adjustment during training and competition. The wider base increases the overall stability. Powder coating technology is adopted for the surface treatment(silver).
Composed of rails, columns, base, regulating rods and tension ropes.



Training Uneven Bars (B)

- Model: TQ2011
 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
 2. The lower rail adjusts from 135cm to 185cm and the higher rail from 205cm to 255cm in 5cm increment. Distance between the two rails adjust steplessly from 110cm to 185cm.
- Features: Uprights are fixed by diagonal braces with connecting devices, so that the apparatus are not limited by the condition of the site or floor hooks. The wider base has moving wheels and increases overall stability. Surface is spray-painted (silver). The apparatus consists of rails, uprights, base, adjusting rods, and diagonal braces.

Rails

Name	Model	Specification
Competition Uneven Bars Surface	TQ1003B.01	bar surface: $\phi 4$ cm, bar length: 240cm, the material is high quality glass fiber reinforced plastic sheet.
Training Uneven Bars Surface	TQ2010.03, Apply to TQ2010 and TQ2011	Bar surface: $\phi 4$ cm, bar length: 240cm, the material is high quality glass fiber reinforced plastic sheet.



Children Uneven Bars

- Model: TQ2012
 1. Rails are 170cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
 2. The lower rail adjusts from 95cm to 135cm and the higher rail from 155cm to 195cm in 5cm increment. Distance between the two rails adjust steplessly from 26cm to 130cm.
- Features: The special locking and adjusting handles of the uprights allow for quick height adjustment. Uprights and base are connected by special tightening devices for quick adjustment of the distance between the rails. Surface is spray-painted (silver). The apparatus is stable and consists of rails, uprights, and base.

Name	Rail of Children Uneven Bars
Model	TQ2003.01.04
Dimension	$\phi 0.6$ cm*170cm

Low Horizontal Bar (A)

- Model: TQ2013
 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
 2. The tension system is made of $\phi 0.6$ cm stainless steel wires with 2 tensioners that allow for quick tension adjustment to the rope.
 3. Height is adjustable from 145cm to 255cm.
- Features: The apparatus is highly stable and safe. Its rail is elastic. The tension system ensures the overall stability. Surface is spray-painted (silver). The apparatus consists of rail, base, and tension system.



Low Horizontal Bar (B)

- Model: TQ2014
 1. Rails are 240cm long and have a diameter of 4cm and made of high quality fiberglass wrapped by beech veneer.
 2. The oversize round bases have non-slip rubber pads.
 3. Height is 41cm.
- Features: The oversize bases enhance of the overall stability of the apparatus. Surface is spray-painted (silver). The apparatus consists of rail, uprights, and bases.





Uneven Bars Protective Bench

- Model: TQ2049
Specification: The platform is 100cm long and 45cm wide, and weights 30.5kg.
Material: Covered with special fiber leather, the supporting platform is made of high strength plywood with heavy duty foam glued to the top side. The special locking and adjusting handle allows for quick and easy height adjustment.
- Features: The special fiber leather ensures moisture absorption. The heavy duty foam on the inside can better absorb shock and provide overall comfort. It is suitable for junior uneven bars practitioners and is spray-painted (silver). The apparatus consists of supporting platform, lifting tube, frame, and base.

Elastic Handstand Rotation Trainer



- Model: TQ2015
Specification: The bars are 170cm long with a 4cm diameter, and adjusts from 95cm to 135cm off the ground. The width between the bars and the elastic parts can adjust steplessly.
Material: The bar is made of high quality glass reinforced plastic with wooden cover. The elastic components are rubber band with heavy duty sponge covered in PU leather and bonded through Velcro straps for good overall elasticity.
- Features: The upright is equipped with special locking and lifting handle which allows for quick height adjustment. The uprights and the base are connected by a special tightening device which allows for quick adjustment of the distance between the elastic parts and the bars. The surface is spray-painted (silver). The apparatus consists of bars, elastic parts, uprights, and base and has good stability.



Palm Protector



- Model: TQW0329
Specification: small (palm length 9-10cm), medium (palm length 10-11cm), large (palm length 11-12cm).
Material: full-grain leather.
Features: It is anti-slip and wear-resistant and protects palms in gymnastic and horizontal bar exercise.

Name		
	Bar Protector	U-shaped Bar Protector
Model	TQ2756	TQ2757
Specification	Length 140cm, outer diameter 11cm, inner diameter 5cm.	Length 140cm, height 10cm, inner diameter 5cm.
Material	Heavy duty foam wrapped in PVC knitting fabric	
Colors	Customizable	
	Applicable for horizontal bar, parallel bar and uneven bar.	



360° Flip Protective Frame

- Model: TQ2016
1. The frame adjusts from 640cm to 670cm in 2.5cm increment. The two uprights are 240cm apart. The height of the belt is adjustable.
2. The leather belt is equipped with a rotating device attached to the top of the frame through nylon rope.
3. The pulling system is made of φ0.6cm diameter stainless steel wire and turnbuckles for quick tightening.
- Features: The leather belt rotating device hung down from the top of frame can touch the ground using the pulley and protect athletes from getting injured during exercise. The oversize footpads disperse pressure during exercise. The pulling system enhances the overall stability. The surface is spray-painted (silver). The apparatus consists of beam, uprights, leather belt, base and wire.



Standard Uneven Bars Counterweight Bracket

- Model: TQ2018A
Specification: The two anchor points are 550cm apart on the long side and 400cm apart on the short side. Each counterweight is at least 800kg.
Material: The counterweight is made of high quality carbon steel and the frame 5cm*0.3cm square tube welded together.
Features: It's suitable for stadium without counterweights and can be easily assembled and moved around.

Balance Beam

GYMNASTICS SERIES




Carbon-fiber Balance Beam


New Composite Material

Model: JZ1014

- The length of the beam is 500cm, made of glass fiber composite material.
- The main pipe is made of carbon fiber composite material, and the inner regulating pipe is made of 80×60×4mm steel pipe with galvanized anti-rust treatment. Movable casters and floor protection at the bottom.
- The overall adjustment height is adjustable between 115cm-135cm, and the lifting distance is 5cm.
- Features: Indexing pin can quickly adjust the height of the beam, fast and firm locking. Preformed foam end plug maximally protects the athlete from injury when dismounting the equipment, and the surface adopts paint baking process (black)



Carbon Fiber





Balance Beam

- Model: TQ1007B
 1. The beam is 500cm long, 10cm wide, and 16cm high. The inner tube is made of aluminum alloy material. High density rubber sponge is glued to the top side. The beam is covered with special fiber leather and hygroscopic material for better sweat and shock absorption.
 2. The uprights are made of 5cm*10cm and 6cm*0.4cm high quality steel tubes welded together. The 2 oval shape special locking devices allow for easy height adjustment.
 3. The height is adjustable from 70cm to 125cm in 5cm increment.
 4. Four micro adjustment pads are located on either side of the bottom of the supporting legs to meet adjustment needs in different circumstances and increase stability at the same time.
 5. The elliptical supporting tubes are covered with one-step formed sleeve which has a proper look and is safe to use.
- Advantages: The optimized beam surface is softer and has higher friction coefficient. The optimized soft layer can better adsorb shock while maintaining good support. The new horizontal micro adjustment device ensures the leveling of the apparatus, which is conducive to athletes' performance. It is suitable for professional competition and training. The surface is finished with baked varnish (red, PANTONE 1955c).




Upper Soft Mat for Balance Beam

- Model: TQ2549/1
 Specification: 100cm*46cm*2cm
 The cover is made of microfiber leather and PVC diamond-shaped anti-slip cloth. High quality XPE+ foam is on the inside.



Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam (B)	TQ2019	500cm	10cm	16cm	40cm
3m Low Balance Beam (B)	TQ2019/1	300cm	10cm	16cm	40cm
2.5m Low Balance Beam (B)	TQ2019/2	250cm	10cm	16cm	40cm

- Features: The beam is covered with special fiber leather and hygroscopic material for better sweat and shock absorption. The special rubber shocking absorbing system increases the overall flexibility. The plum-shaped handles allow for quick adjustment to the distance between the two legs and fast locking. The preformed foam plugs on either end maximize protection of the athletes.



Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam	TQ2051	500cm	10cm	16cm	25cm
3m Low Balance Beam	TQ2051/1	300cm	10cm	16cm	25cm
2.5m Low Balance Beam	TQ2051/2	250cm	10cm	16cm	25cm

- Material: High density rubber sponge is glued to the top side. The beam is covered with special fiber leather.
 Feature: The moisture absorbing surface provides good shock absorption. The special rubber shock absorbing system increases the overall elasticity of the beam. Locking is quick and safe. The preformed foam plugs maximize the protection of athletes. The apparatus consists of horizontal beam and main frame.



Training Balance Beam

- Model: TQ2017A
 1. The Beam is 500cm long, 10cm wide on the top, and 16cm high, and covered with special fiber leather and hygroscopic material which allows for better shock absorption.
 2. The overall height is adjustable from 70cm to 125cm in 5cm increment.
- Features: The special rubber shock absorbing system increases the overall elasticity of the beam. The handles allows for quick beam height adjustment and fast and firm locking. The foam plugs maximize the protection of athletes. The apparatus consists of beam and legs.




Name	Balance Beam Protective Cover	
Model	TQ2020	TQ1544
Material	XPE laminated gymnastic blanket	Cover: PVC woven fabric Inner material: XPE



Name	Soft Mat for Balance Beam	
Model	TQ2549	TQ2709
Specification	100cm×50cm×2cm	120cm×40cm×2cm

- Features: Good stability, easy to install, soft surface, appropriate flexibility, used with balance beam.



Balance Beam Multifunctional Mat

- Model: TQ2549/6

Specification: 150×100×1.5cm

Features: It is used for balance beam auxiliary training, and made of skin-friendly materials, jacquard wire cloth, and memory sponge, making it soft and comfortable. Color options: red, pink, green, and yellow.



Balance Beam Soft Pad

- Model: TQ2021

Specification: The widened board is 250cm long and 20cm wide

Materials: High density rubber sponge is glued to the top of the board which is wrapped in special microfiber leather.

Features: It is fixed to balance beam through special safety belts and suitable for junior practicers.



Balance Beam Cart

- Model: TQ2079

Features: The cart can transport balance beam easily and has heavy duty industrial casters that allow for easy transportation and protect the floor.

Floor Exercise Mat



GYMNASTICS SERIES



Floor Exercise Mat B

Model: TQ1008B-F

- The mat is 1410cm*1410cm with a 1200cm*1200cm contest area. The diagonal length is 1697cm. The contest area and the safety area are clearly separated. The surface is made of a combination of blanket and buckles are on the bottom.
- The buffer layer is made of 5cm thick XPE puzzle mats on top of 84 precisely assembled laminated plates. There are 2303 springs and a belt around the perimeter. The functionality is at its best.
- Each mat of standard size is equipped with multiple H-shaped parts that link the bottom plates together. The tension straps firmly lock all bottom plates together so that they become one solid piece.
- Features: The new spring shock absorbing system and high quality soft layer provide good cushioning and allow for the best resilience. It is suitable for professional competition and training.






Floor Exercise Mat D

- Mode: TQ1008D
 1. The mat is 1410cm*1410cm with a 1200cm*1200cm contest area. The diagonal length is 1697cm. The contest area and the safety area are clearly separated.
 2. The soft layer is made of 6cm thick EV30 material which has good shock absorption and higher safety.
 3. The bottom plates are made of 1.3cm thick high quality multi-layer birch wood board with its surface made of high quality hot mold-pressed glass fiber. 2304 precisely positioned springs ensure the best functionality.
 4. Each mat of standard size is equipped with multiple H-shaped parts that link the bottom plates together. The tension straps firmly lock all bottom plates together so that they become one solid piece.
- Features: The new spring shock absorbing system and high quality flexible layer provide good cushioning and allow for the best resilience. It is suitable for professional competition and training. The mat consists of springs, bottom plates, soft layer (EV30), and blanket surface.

Advantages: The high quality tufted blanket surface increases comfort. The new soft layer increases elasticity and is conducive to athletes' better performance.



Rhythmic Gymnastics Floor

- Model: TQ1009B
 1. The floor is 1450cm*1450cm with a 1300cm*1300cm competition area. The 5cm wide boundary distinguishes the competition area and the safety area. Totally 4 rolls of 1450cm*362cm velvet knitted blanket cover the surface. The bottom is fixed by strong adhesive tapes.
 2. The floor consists of 2 layers of 0.9cm thick high quality plywood. The upper layer consists of 121 pieces of 122cm*122cm plywood and the lower layer 100 pieces of 122cm*122cm, 40 pieces of 122cm*61cm, and 4 pieces of 61cm*61cm plywood. 3136 high quality shock absorbing rubber blockers are precisely positioned on the bottom of the floor to ensure the best functionality.
- Features: The special vibration absorption foam provide good buffering and is conducive to athletes' performance along with the anti-static, non-slip blanket surface. The apparatus consists of bottom plate, surface blanket, and heavy-duty sponge edge floor.

Weight: 2600kg. Different sizes are available.





Rhythmic Gymnastics Measuring Table

- Model: TQ2098
Specifications: 131cm×105cm×98cm
Features: An electronic balance with 1g accuracy. The wooden surface is painted with premium eco-friendly paint.

Rhythmic Gymnastics Ribbon

- Model: TQW0115 (Competition)
TQW0115A (Training)
Material: Ribbon and pole are made of FRP, the handle is made of pvc material.



Rhythmic Gymnastics Rope

- Model: TQW0117 (Competition)
TQW0117A (Training)
Material: Fine cotton and line
Length: 3m




Rhythmic Gymnastics Stick

- Model: TQW0114 (Competition)
TQW0114A (Training)
Material: PP



Rhythmic Gymnastics Hoop

- Model: TQW0116 (Competition)
TQW0116A (Training)
Specification: φ80cm
Material: Eco-friendly PE



Rhythmic Gymnastics Ball

- Model: TQW0118 (Competition)
TQW0118A (Training)
Specifications: φ18cm
Weight: 0.4kg
Material: Rubber and plastic



Aerobic Gymnastics Floor

- Model: TQ1170
1. The overall size is 1200cm*1200cm. The individual competition area is 700cm*700cm, mixed pairs and trios competition area is 1000cm*1000cm (The black matte boundary is part of the competition area).
2. The floor consists of 100 120cm*120cm high-density parquet pieces and is 7.5cm high. There might be slight color difference among the pieces, which will not affect athletes' performance.
3. A fast rebound shock absorbing material is on the bottom, give the floor good shock absorption (and protection to athletes). The special tension system firmly holds the entire floor together without noise or gaps. It is suitable for professional competitions and training.



Aerobic Gymnastics Step

- Model: TQ1014
Specification: Trapezoid; top side is 88.5cm*27.5cm and the bottom side 97cm*37cm. Overall height is 15cm.
Weight: 5.1kg
Features: The body of the step is made of carbon fiber and strong and smooth on the surface. The top is covered with special anti-skid layer and shock absorbing layer which cancel all noise during use and protect the body of the step.

Club Gymnastics

GYMNASTICS SERIES



Club Parallel Bars

- For Beginners (Indoor)

Model: TQ2407

1. The bar is 270cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
2. Height can be adjusted from 120cm to 160cm in 5cm increment. The distance between two bars can be steplessly adjusted from 39cm to 59cm.
3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.

Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Beginners (Outdoor)

Model: TQ2407/1

1. The bar is 270cm long and made of fiberglass with nylon cover which is rain and sun proof and anti-fracture, and has good elasticity.
2. Height can be adjusted from 120cm to 160cm in 5cm increment. The distance between two bars can be steplessly adjusted from 39cm to 59cm.
3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.

Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Intermediate Users (Indoor)

Model: TQ2408

1. The bar is 350cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
2. Height can be adjusted from 140cm to 180cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.

Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Intermediate Users (Outdoor)

Model: TQ2408/1

1. The bar is 350cm long and made of fiberglass with nylon cover which is rain and sun proof and anti-fracture, and has good elasticity.
2. Height can be adjusted from 140cm to 180cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.

Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.

- For Advanced Users

Model: TQ2409

1. The bar is 350cm long and made of fiberglass with wooden cover which has good moisture absorption and elasticity and is anti-fracture.
2. Height can be adjusted from 160cm to 200cm in 5cm increment. The distance between two bars can be steplessly adjusted from 40cm to 64cm.
3. The frame is made of high quality steel tubes seamlessly welded together. The surface is finished with powder coating. The lifting handle is galvanized.

Features: The base is equipped with micro horizontal adjustment device which allows the apparatus to be used on uneven floor. The 4 moving wheels make it easy to move it.



Club Horizontal Bar

- For Beginners (Indoor)

Model: TQ2404

1. The height can be adjusted from 200cm to 240cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is finished with chromate coating. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar beginners.

- For Beginners (Outdoor)

Model: TQ2404/1

1. The height can be adjusted from 200cm to 240cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners. The bar sockets are finished with powder coating.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar beginners.

- For Intermediate Users (Indoor)

Model: TQ2405

1. The height can be adjusted from 270cm to 310cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar training.

- For Intermediate Users (Outdoor)

Model: TQ2405/1

1. The height can be adjusted from 270cm to 310cm in 5cm increment.
 2. The bar is 240cm long with a 2.8cm diameter.
 3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners. The bar sockets are finished with powder coating.
- Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for horizontal bar training.

- For Advanced Users

Model: TQ2406

1. The height can be adjusted from 275cm to 315cm in 5cm increment.
2. The bar is 240cm long with a 2.8cm diameter.
3. The uprights are made of high quality steel tubes seamlessly welded together. The surface is galvanized. The tension system consists of 4 steel wires and wire tighteners.

Features: The anti-fracture design of the bar increases safety. Two round anti-slip foot pads on the bottom have good stability and shock absorption, making the apparatus suitable for professional horizontal bar training.



Club Balance Beam

- Model: TQ4145
 - The beam is 500cm long and 10cm wide. The height is adjustable from 105cm to 135cm.
 - The beam is made of molded fiberglass which has high strength, elasticity, and good buffering. The surface is covered with high quality anti-slip leather. The buffer layer is made of special rubber plastic material.
 - The uprights are made of high quality metal tubes welded together. The surface is finished with power coating.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for balance beam training.



Club Pommel Horse without Rings

- Model: TQ2401
 - The bench is 160cm long, 35cm wide, and 28cm high. The height can be adjusted from 95cm to 135cm.
 - The surface is covered with high quality leather. The buffer layer is made of XPE.
 - The uprights are made of high quality metal tubes welded together. Their surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for primary pommel horse training.



Club Pommel Horse

- Model: TQ2402
 - The bench is 160cm long, 35cm wide, and 28cm high. The height can be adjusted from 95cm to 135cm.
 - The height of the two rings is 12cm. The distance between them can be steplessly adjusted from 45cm to 55cm. The surface is covered with high quality leather. The buffer layer is made of XPE.
 - The uprights are made of high quality metal tubes welded together. Their surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for pommel horse training.



Club Vaulting Table

- Model: TQ2403
 - The table is 120cm long and 95cm wide. The height can be adjusted from 100cm to 130cm.
 - The table is made of molded fiberglass which has high strength, elasticity, and good buffering. The surface is covered with high quality anti-slip leather. The buffer layer is made of XPE.
 - The upright is made of high quality metal tubes. Its surface is finished with power coating (blue).
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for vaulting table training.



Children Springboard (Foam)

- Model: TQ2414
 - Overall size: 77*57*17cm
 - The surface is covered with blanket and the buffer layer is made of XPE.
 - The elastic system consists of 2 pieces of XPE foam.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for children's practice. Different colors are available.



Children Springboard (Spring)

- Model: TQ2413
 - Overall size: 77*57*17cm
 - The surface is covered with blanket and the buffer layer is made of XPE.
 - The elastic system consists of 4 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for children's practice. Different colors are available.



Club Springboard (Beginner)

- Model: TQ2410
 - Overall size: 100*50*19cm
 - The surface is covered with blanket and the buffer layer is made of XPE.
 - The elastic system consists of S-shaped elastic board.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for beginners' practice. Different colors are available.



Club Springboard (Intermediate User)

- Model: TQ2411
 - Overall size: 120*60*19cm
 - The surface is covered with blanket and the buffer layer is made of XPE.
 - The elastic system consists of S-shaped elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for intermediate users' practice. Different colors are available.

Club Springboard (Advanced User)

- Model: TQ2412
 - Overall size: 120*60*22cm
 - The surface is covered with blanket and the buffer layer is made of XPE.
 - The elastic system consists of S-shaped elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 anti-slip foot pads which have good stability and buffering. The apparatus is suitable for advanced users' practice. Different colors are available.



Floor Exercise Floor for Training

- Model: TQ2415
 - Overall size: 14.4*14.4m; competition area: 13*13m; thickness: 0.21m
 - The base plate is made of high quality multilayer birch plywood connected through Velcro straps. 2304 springs are precisely positioned on the bottom. The buffer layer consists of two layers of interlocking plastic foam pads. This structure provides excellent stability, impact resistance, and elasticity.
 - The floor is covered with 4 pieces of tufted blankets that provide excellent slip resistance and comfort.
- Features: Nylon makes the floor easy to install and remove. The double board provides excellent anti-crack feature. The overall structure provides great comfort. The floor boundary uses tapes bonded to the surface, making it possible to change the competition area. The floor is suitable for daily training.

Trampoline

GYMNASTICS SERIES



TRAMPOLINE



Standard Trampoline

Model: TQ1013

- The size of the main frame is 520*305*115cm. The frame is made of 6.5*3.5cm special oval tubes welded together.
- The size of the net is 426*213cm. The net is made of nylon.
- There are 8 large springs and 110 middle springs. The size of the large spring is ϕ 3.9*25.8cm and the size of the middle spring ϕ 2.9*25.8cm.
- The springs are covered with special protective pads which are made of highly elastic sponge wrapped in PVC sheet. With a fixed tension system on the bottom, contact with the springs is avoided and elasticity is increased.
- The size of the auxiliary pad is 175*260*115cm with net surface made of polypropylene. One pair per set.
- The apparatus is suitable for professional competition and training.





Tumbling Board

- Model: TQ2064
 1. The overall size is 1400*200*20cm.
 2. The top layer is made of gymnastic blanket and XPE which provide higher elasticity. The XPE is 5cm thick and the blanket is 2.5cm thick.
 3. The shock absorption system consists of 280 high quality springs.

Mini Square Trampoline

- Model: TQ2037A
 1. Main frame size: 130*130cm; net size 65*65cm
 2. The height can be adjusted from 40cm to 50cm in the front and 40cm to 60cm in the rear.
 3. There are 40 high quality springs, each is 18cm long and has a 2.8cm diameter.
- Features: The wheels make it easy to move the trampoline. The surface can be adjusted to sloping to assist jumping or horizontal for warm-up and exercise. The impregnated net has high strength and elasticity and good air permeability. The springs are covered with protective pads.



Mini Open Trampoline

- 1. The overall size is 135*125cm; the net size is 60*60cm.
- 2. The height can be adjusted from 35cm to 50cm.
- 3. The wheels make moving easy.



Adolescent Long Trampoline

- Model: TQ2036A

The overall size is 18*2.2*0.6m. The net is 1.5m wide.

 1. The frame is made of high quality rectangular metal tubes welded together. 2m per unit. The length can be adjusted freely. Each unit has 64 high quality springs.
 2. The net is made of imported materials. The thread of the net is 2*1.5mm. The net surface is coated with plastic. The springs are covered with 0.03m-thick protective pads.
 3. The apparatus is equipped with protective pads on both long sides when used in competition. These pads are 0.5m wide and 0.6m thick, and as long as the frame.
 4. The landing area is covered with 3*6*0.6m floor mat. A layer of 3*6*0.1m cushion is added on top during competition.
 5. The jumping end is equipped with a step.

Note: The protective mats on both long sides, the floor mat, and the jumping end step are optional.



Children Long Trampoline

- Model: TQ2036

Specification: The overall size is 6*2.1*0.56m. Length can be customized.
Weight: Each unit is 2m long and weighs 78kg. Length can be indefinitely extended by adding more units.
Material: The lower base is made of high quality carbon steel tubes welded together and equipped with floor protective pads.
- Features: The modulized frame allows the length to be adjusted according to the size of the site. The beam and the base can be easily linked together. The mesh surface is sewn using black nylon net and PVC woven fabric. It is equipped with high-strength springs with good elasticity and stability. The surface is finished with powder coating (silver). The apparatus consists of beam, base, tensile springs, and mesh surface.
- Children's Long Trampoline Series



TQ2036/2 5m ;	TQ2036/3 4.5m (with hooks on the four sides);
TQ2036/4 5m (with hooks on the four sides);	TQ2036/5 6m (with hooks on the four sides);
TQ2036/10 14m ;	TQ2036/11 9m;
TQ2036/12 8m ;	TQ2036/14 10m;
TQ2036/15 12m ;	TQ2036/18 15m;
TQ2036/24 4.5m	







Inflatable Gymnastics Mat



- Model: TQW038



Specification: Size can be customized
- Features: The mat adopts special imported PVC mesh fabric and is made with advanced heat sealing and bonding technologies for good abrasion and fire resistance, and tear and drop resistance. It is eco-friendly and has proper look. Equipped with a high power air pump, it can be quickly inflated and has a long service life.
- Note: Make sure the ground is flat and free of sharp objects and the power is always on when using the mat. It can be cleaned with soft rag and detergent.



Inflatable Slope	Color Options	Size
 <p>Used as somersault training mat or hand mat; made of double-color PVC material with markings.</p>		1.8 × 1.2 × 0.2/0.3m
		1.8 × 1.2 × 0.2/0.65m
		1.2 × 0.9 × 0.1/0.26m
Air Pump	Use with Inflatable Mat.	Select the number of air pump according to the number of inflatable mat.



Rectangular Inflatable Mat 4	Color Options	Size
 <p>Used for improving body flexibility and balance; made of single-color PVC material.</p>		1 × 0.6 × 0.1m
		2 × 0.6 × 0.1m
		4 × 0.6 × 0.1m
		6 × 0.6 × 0.1m
		1 × 0.6 × 0.2m
		2 × 0.6 × 0.2m
		4 × 0.6 × 0.2m
		6 × 0.6 × 0.2m



Round Inflatable Mat 1	Color Options	Size
 <p>Round and double-color; made of PVC material with different color options; used for jumping and free movement.</p>		φ0.7 × 0.1m
		φ1 × 0.2m
		φ1.4 × 0.3m



Round Inflatable Mat 2	Color Options	Size
 <p>Round and double-color; made of PVC material with different color options; used for jumping and free movement.</p>		φ0.7 × 0.1m
		φ1 × 0.2m
		φ1.4 × 0.3m

Cylindrical Air Roll	Color Options	Size
 <p>Round and double-color; made of PVC material with different color options; used for jumping and free movement.</p>		φ0.6 × 1.2m
		φ0.75 × 1.2m
		φ0.9 × 1.2m









Inflatable Mat for Balance Training	Color Options	Size
 <p>Used for improving body flexibility and balance; made of double-color PVC material with a marking in the middle.</p>		3 × 0.4 × 0.1m
		5 × 0.4 × 0.1m
		7 × 0.4 × 0.1m






Rectangular Inflatable Mat 1	Color Options	Size
 <p>Used for improving body flexibility and balance; made of single-color PVC material.</p>		2 × 1 × 0.1m
		2 × 1.5 × 0.1m
		2 × 4 × 0.1m
		2 × 6 × 0.1m
		2 × 8 × 0.1m
		2 × 10 × 0.1m
		2 × 14 × 0.1m
		2 × 16 × 0.1m
		2 × 20 × 0.1m
		2 × 1 × 0.2m
		2 × 1.5 × 0.2m
		2 × 4 × 0.2m
		2 × 6 × 0.2m
		2 × 8 × 0.2m
		2 × 10 × 0.2m
		2 × 14 × 0.2m
2 × 16 × 0.2m		
2 × 20 × 0.2m		

Inflatable Mat for Balance Training	Color Options	Size
 <p>Three markings in the long side direction; made of double-color PVC material; used for gymnastic training protection.</p>		2*12*0.3m
		2*15*0.3m
		2*20*0.3m

Inflatable Mat for Balance Training	Color Options	Size
 <p>Made of double-color PVC material; used for high jump landing protection and flip training</p>		3*2*0.5m
		3*3*0.5m
		4*2*0.5m



Parkour Speed Apparatus			
Model	Name	Size / m	Product
TQ1020A.01	Step Module	1.9m*2m*1m	
TQ1020A.02	Trapezoid Module with Rails	2.385m*2m*2m	
TQ1020A.03	Three-steps Module	6.6m*2m*2.4m	
TQ1020A.04	Trapezoid Module with Rails 2	4.9m*2m*2.45m	
TQ1020A.05	Module with Rails 1	1.6m*2m*1m	
TQ1020A.06	Module with Rails 2	1m*2m*2.9m	
TQ1020A.07	Balance Beam Obstacle	4.4m*2m*0.5m	
TQ1020A.08	Triangle Module	1.05m*2m*2m	

Safty Zone Obstacles			
Model	Name	Size / m	Product
TQ1020A.13	Safety Zone Module 2	2m*2m*0.8m	
TQ1020A.12	Safety Zone Module 1	7m*2m*2m	
TQ1020A.11	Connecting Rails 3	1m*2m*2.8m (above the ground) Set between Module with Rails	
TQ1020A.10	Connecting Rails 2	2m*2m*2.35m (above the ground) Set between Module with Rails	
TQ1020A.09	Connecting Rails	0.05m*2m*2.8m (above the ground) Set between Step modules	



High Platform
56m × 10.208m × 0.8m



Referee Stand
28m × 4m × 2m/2.3m



Parkour Track: Total length: 56m, width: 10.208m, track length: 44m, track width: 2m, safety zone length: 44m, width: 2m. Wide: 4.5cm



TSC-Tension Control Sensor Electronic Tensioner

- Model: TCS-01
- Maximum load: 10000N;
- Scale divisions: 1N, 2N, 5N, 10N, 20, 50N, 100N;
- Display: 1.3 inch OLED screen, resolution 128×64;
- Buttons: 4 buttons for power, parameter setting and resetting;
- Indicator lights: 7 indicators respectively indicate the charging progress, working indication and alarm;
- Alarm: adjustable alarm volume. When overload or underload, the alarm light and the buzzer go off.
- Power supply: 1500mAh lithium battery; charge via type-C port;
- Safety overload: 120%F.S.
- Operating temperature: -20-60℃.






Tumble Track

- Model: TQ1012
 - The run-up area is 1100cm long and consists of high quality composite multilayer birch boards and a metal stand.
 - The tumbling area is 2500cm long and consists of 20 independent units linked together. The elastic part of each unit has 13 pieces of 4cm*2.5cm high quality fiberglass tubes. The bottom is equipped with a metal bracket and a built-in special rubber buffer device that cancels noise.
 - The landing area is 300cm*600cm and consists of three 30cm-thick floor mats.
 - The flexible layer is made of 6cm-thick heat-sealed XPE foam. The cover is made of gymnastic nylon-non-woven carpet. The total length is 3600cm.
- Features: The special nylon-non-woven carpet is highly anti-slip. The rectangular fiberglass tube increase resilience and is noiseless and stable. The apparatus consists of three parts: run-up area, tumbling area, and landing area. The metal parts are silver and the cover and the floor mats blue.




Gymnastics Court Pad

- Model: TQ2043
 specification: Each unit is 200cm long, 135cm high, and 4cm thick.
 Features: The pads are connected through aluminum alloy latches which make assembly and disassembly easy. The length can be adjusted according to the size of the site. High density waterproof PVC board is on the inside.



Gymnastics High Platform



- Model: TQ1016A
 Specification: Horizontal bar and uneven bar platform: 1800cm*900cm; artistic floor platform: 1800cm*1800cm; balance beam, pommel horse, and ring platform: 1800cm*900cm; parallel bars and vaulting horse platform: 5400cm*1350cm (special size).
 Material: Multilayer boards, high quality rectangular metal tubes.
- Features: Each unit is independent. The entire platform has good stability and can be assembled and disassembled easily. The packaging volume is minimized. It is patented.




Referee Platform

- Model: TQ1270/2
 Specification: 3000cm*400cm*60cm/80cm (double-level)
 Material: Multilayer boards, high-quality rectangular metal tubes, and stainless steel guardrails.
 Features: Stable structure and easy disassembly.



Side Referee Table


- Model: TQ1270/3
 Specification: 160cm*122cm*30cm
 Material: Multilayer board, high-quality metal rectangular tube.
 Features: Stable structure and easy disassembly.




Foam Pit

- Model: TQ2713
Specification: Customizable
Bottom structure: The bottom XPE foam is thermally synthesized and adopts a honeycomb structure. A whole piece of XPE foam with holes that are equally apart is laid on top of the bottom XPE foam to increase powder absorption.
- Features: The pit is safe and can be easily installed and cleaned. The pit can effectively absorb magnesium powder and prevent athletes from hazards caused by inhaling the powder when they are using gymnastic equipment.

Embedded Parts



- Underground Embedded Part
Model: TQ2069
Specification: 22cm*22cm*12cm (height can be adjusted according to that of floor)
Features: Suitable for wood flooring. It is fixed beneath wood floor with expansion screws. A single embedded part can withstand 8000N force without being damaged. Put a cover on top when it is not in use to keep the floor surface flush.



- Ground Embedded Part
Model: TQ2070
Specification 22cm*22cm*8cm
Features: Suitable for concrete flooring. It is fixed on the ground with expansion screws. A single embedded part can withstand 8000N force without being damaged.



Small Vaulting Buck

- Model: TQ2090
Specification: The size of the bench is 50cm*35cm*28cm. The height can be adjusted from 80cm to 110cm in 5cm increment. Weight: 26kg
Material: The surface of the bench is covered with special fiber leather and the bench body is one-step mold pressed.
- Features: The special adjusting locking knobs make height adjustment quick and easy. The surface is spray-painted in silver. The apparatus consists of bench, adjustable legs, and base.



Vaulting Box

- 5-Piece Vaulting Box
Model: TQ2077
1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 125cm*78cm*125cm.
2. The vaulting box consists of 5 pieces that are made using mortise and tenon. The entire box is firm.
Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.
- 7-Piece Vaulting Box
Model: TQ2053
1. The upper surface is covered with special fiber leather. The built-in body is made of pine board with EVA glued to the top. The size of the entire box is 130cm*78cm*125cm.
2. The vaulting box consists of 7 pieces that are made using mortise and tenon. The entire box is firm.
Features: Heavy-duty inner foam increases shock absorption and overall comfort. The surface is sprayed with eco-friendly varnish.



New Vaulting Buck

- Model: TQ2035
Specification: The size of the bench is 50cm*36.5cm*28.8cm. The height can be adjusted from 80cm to 110cm in 5cm increment.
Material: The surface of the bench is made of one-step pressed special fiber leather. The upper part of the bench is made of heavy-duty foam. The vaulting buck is equipped with 4 special micro-adjusting knobs which can effectively protect floor and allow the apparatus to be used on uneven surface.
- Features: The base is made of oval tubes welded together and increases overall safety. The surface is finished with silver powder coating. The vaulting buck consists of bench, uprights, and base.



Big Vaulting Buck

- Model: TQ2091
Specification: The size of the bench is 60cm*35cm*28cm. The height can be adjusted from 100cm to 140cm.
Material: The surface is covered with special fiber leather. The built-in body is one-step mold pressed.
- Features: The apparatus assists in jump training. The legs are spray-painted in silver. It consists of bench, adjustable legs, and base.



Wall Bar

- Model: TQ2059
Specification: 90cm*18cm*280cm
Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
Feature: The surface is finished with eco-friendly sprayed varnish.



Double Wall Bar

- Model: TQ2084
Specification: 180cm*18cm*280cm
Material: The wall bar is made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
Feature: The surface is finished with eco-friendly sprayed varnish.

Handstand Bars for Parallel Bars

- Model: TQ2057
Specification: 40cm*23cm*13cm
Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
Feature: The surface is finished with eco-friendly sprayed varnish.



Handstand Bar for Horizontal Bar

- Model: TQ2058
Specification: 90cm*23cm*13cm
Weight: 1.5kg
Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
Feature: The surface is finished with eco-friendly sprayed varnish.




Handstand Bars for Parallel Bars (Detachable)

- Model: TQ2057A
Specification: 25cm*25cm*12cm. The bars are 25cm long and 4cm in diameter.
Features: The apparatus is detachable and easy to carry. It is made of composite material which is anti-slip-and-fracture.



Handstand Bar for Horizontal Bar (Detachable)

- Model: TQ2058A
Specification: 82cm*25cm*12cm
Weight: 1.5kg
Material: They are made of pine wood and manchurian ash using mortise and tenon. The overall connection is firm.
Feature: The surface is finished with eco-friendly sprayed varnish.



Soft Folding Balance Beam

- Model: TQ4108
Specification: 500cm*10cm*2.5cm. It is made of XPE foam covered in microfiber leather. The surface is comfortable.
Features: It is foldable and comes with a packing bag for easy moving and installation.



Folding Balance Beam Packing Bag

- It includes three parts:
 - TQ4108 Soft Folding Balance Beam
 - TQ2057A Handstand Bars for Parallel Bars (Detachable)
 - TQ2058A Handstand Bar for Horizontal Bar (Detachable).



Uniaxial Waist Protective Ring

- Model: TQ1019 (large)
Specification:
 - Inner diameter: 39cm; outer diameter: 42cm
 - The ring is made of aluminum alloy. The total weight is 3.1kg, including a soft belt.
 Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.
- Model: TQ1019/1 (small)
Specification:
 - Inner diameter: 34cm; outer diameter: 37cm
 - The ring is made of aluminum alloy. The total weight is 3.1kg, including a soft belt.
 Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.



Biaxial Waist Protective Ring

- Model: TQ1018 (large)
Specification:
 - Inner diameter: 42cm; outer diameter: 48cm
 - The ring is made of aluminum alloy. The total weight is 3.5kg, including a soft belt.
 Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.
- Model: TQ1018/1 (small)
Specification:
 - Inner diameter: 36cm; outer diameter: 42cm
 - The ring is made of aluminum alloy. The total weight is 3.5kg, including a soft belt.
 Features: The ring is light and has high strength. It can rotate in two ways and used in trainings for gymnastics, trampoline, and diving skills.

OTHERS



Springboard Trampoline B

- Model: TQ4129
- Specifications:
 - The overall size is 120cm*100cm. The height of the front end can be adjusted from 30cm to 40cm.
 - The surface is sewn with imported rubber coated mesh fabric for comfortable touch and high elasticity.
 - The frame is made of high quality round metal tubes welded together and 48 springs which are 3.5cm in diameter.



Gymnastic Chalk Powder Tray (For Feet)

- Model: TQ2267
- Specification: 45cm*45cm*5cm
- Features: It holds gymnastic chalk powder for gymnasts to dust their feet.

Name	Gymnastic Chalk Powder	
Model	TQW0048	TQW0048/1
Type	Standard Blocks 15kg/box	Small Pieces 10kg/box



Gymnastic Chalk Powder Stand (For Hands)

- Model: TQW0049
- Specification: 90cm high
- Material: The pedestal is made of high quality laminated metal. The powder box is made of hot-pressed fiberglass.
- Features: High strength, durable, and easy to move.

Happy Gymnastics

GYMNASTICS SERIES




Children Gymnastic Equipment Combination A

- Model: TQ2060
- Specifications: 461cm*461cm*207cm
- Weight: 193kg (Excluding Mats)
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for children's entertainment and physical training.

Wooden Gymnastics Bench

- Model: TQ2042
- Specification: 244cm*25cm*25cm
- Material: Multilayer birch
- Features: The four corner of the bottom are covered in anti-slip rubber. The bench is light and can be moved easily. The narrow board on the bottom can be used for balance beam exercise when the bench is flipped over. The surface is sprayed with eco-friendly varnish.





Children Gymnastic Equipment Combination B

- Model: TQ2061
Specification: 720cm*350cm*155cm.
Weight: 205kg
- Includes: TQ2003 Children Parallel Bars*1
TQ2008 Horizontal Bar for Kids (A)*1
TQ2012 Uneven Bars for Children*1
TQ2032 Gymnastic Ring for Kids*1
- Features: The overall layout of this apparatus is reasonable and the stability is high. It is mainly used for children's entertainment and physical training.



Happy Gymnastics Uneven Bars

- Model: TQ2086
1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
2. The height of the low bar can be adjusted from 95cm to 135cm and that of the high bar from 155cm to 195cm, both in 5cm increment.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).

Happy Gymnastic Horizontal Bar

- Model: TQ2083
1. The bar is 170cm long and has a diameter of 4cm. It is made of high quality fiberglass coated with wood.
2. The height can be adjusted from 155cm to 195cm in 5cm increment.
- Features: The apparatus is safe and stable and its bar is elastic. The surface is finished with powder coating (red).



Happy Gymnastics Parallel Bars

- Model: TQ2085
1. The bars are 170cm long and have a diameter of 4cm. It is made of high quality fiberglass coated with wood.
2. The height of the low bar can be adjusted from 95cm to 135cm in 5cm increment. The distance between the bars can be steplessly adjusted from 26cm to 130cm.
- Features: The uprights have special locking lifting handles for quick height adjustment. The uprights and the base are connected through a special tightening device for quick distance adjustment between the bars. The surface is finished with powder coating (red).



Happy Gymnastic Rings

- Model: TQ2087
1. The ring has a diameter of 16cm and is made of composite wood which has high moisture and water absorption.
2. The height can be adjusted from 115cm to 145cm in 5cm increment.
- Features: The two rings are evenly positioned for best shock absorption and can protect children's hands from injuries. The apparatus is stable. The surface is finished with powder coating (red).



Happy Children Obstacle Frame

- Model: TQ4873



Drop-shaped Cushion

- Model: TQ2701
Specification: 90cm*50cm*40cm
Features: The cushion is drop-shaped and uses heavy duty foam on the inside.



Children Springboard

- Model: TQ2044
Specifications: 76cm*57cm*16cm
Features: It is strong, elastic, and stable and has good anti-slip surface. It is specifically designed for gymnastic beginners and suitable for children's practice.



Children Climbing Board

- Model: TQ2041
Specification: 180cm*180cm*(93cm-135cm)
Weight:45kg
 - 14 handholds in different shapes are fixed to the board through lock nuts in a certain pattern. The board is made of XPE foam and special plywood bonded together using special technology on the inside and covered with PVC woven fabric.
 - The board is attached to the bar through Velcro Straps. The apparatus is used together with children gymnastic equipment.
- Features: The climbing board is stable, comfortable, can be easily installed, and has soft and elastic surface. It is suitable for children to climb and mainly used for their entertainment and physical exercise. It consists of climbing board, lifting rod, frame, and base. The overall stability is ensured.



Children Climbing Net

- Model: TQ2040
Specification: 180cm*180cm*95cm
Weight: 60kg
 - The net is made of 50 safety belts. The board has XPE foam and special plywood bonded together using special technology on the inside and covered with PVC woven fabric.
 - The net bracket is welded into an integral piece and attached to children gymnastic equipment through special tightening device for quick tension adjustment.
 - The lifting rod is made of special material and its surface is specially treated to ensure flexibility and quick lifting.
- Features; The climbing board is stable, comfortable, can be easily installed, and has soft and elastic surface. It is suitable for children to climb and mainly used for their entertainment and physical exercise. It consists of climbing net, lifting rod, bracket, and base. The overall stability is ensured.



Children Square Trampoline II

- Model: TQ2078
 - The main frame of the trampoline is 270cm*270cm. The poles are inserted tubes that make installation easy.
 - The net is 210cm*210cm and made of black nylon mesh and PVC woven fabric.
 - The fence is made of nylon and 210cm high.
- Features: The main frame is made of round tubes welded together and highly safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together and has high strength. Heavy-duty springs ensure overall flexibility and stability. The surface is finished with powder coating (red). The apparatus consists of main frame, base, springs, and net.

Children Square Trampoline

- Model: TQ2037
 - The main frame of the trampoline is 130cm*130cm and made of round carbon steel tubes welded together.
 - The net is 70cm*70cm and made of nylon braid rope.
 - The trampoline is equipped with quick-adjust locking device. The height can be adjusted from 52cm to 65cm.
 - The lifting rods are made of round carbon steel tubes that are φ3.2cm*0.3cm. The surface is specially treated to ensure flexibility and quick lifting.
- Features: The main frame is made of oval tubes welded together and highly safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh. Heavy-duty springs ensure overall flexibility and stability. The surface is finished with powder coating (silver).
Weight: 30kg.
The apparatus consists of main frame, base, springs, and net.



Name	Tumbling Mat	
Model	TQ4870	TQ4870/1
Specification	100×70×75cm	120×70×90cm
Material	PVC woven fabric + heavy duty foam	



Children Round Trampoline

- Model: TQ2082
Specification: The main frame has a diameter in $\phi 158\text{cm}$ and 43cm high.
- Features: The main frame is welded into one integral piece and safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together. Heavy-duty springs ensure overall flexibility and stability. The surface is sprayed in silver. The apparatus consists of main frame, springs, and net.



Children Round Trampoline Peripheral Mat

- Model: TQ2539
Specification: $\phi 1900\text{cm} \times 700\text{mm}$
Material: PVC woven fabric and heavy-duty foam



Children Hexagon Trampoline

- Model: TQ2081
Specification: The outer circle of the main frame has a diameter in 187.5cm. The height is 44cm.
- Features: The main frame is welded into one integral piece and safe. Floor protective pads are on the bottom to reduce damage to floor. The net is made of black nylon mesh and PVC woven fabric sewn together. Heavy-duty springs ensure overall flexibility and stability. The surface is sprayed in silver. The apparatus consists of main frame, springs, and net.



Double Mini Trampoline

- Model: TQ1015
Specification: 350cm*190cm*70cm. It is made of high quality oval steel tubes welded together. The net is 292cm*92cm and made of 6mm-wide nylon cord. There are 96 high quality springs, spring protective pads, and 3 anti-slip foot pads.



Happy Children Balance Beam

- Model: TQ2577
1. Specification: 4m*0.3m/0.2m*0.3m
2. Material: It is made of high quality PVC woven fabric and anti-slip PVC leather. The infill is made of XPE foam.



Happy Children Gymnastic Vaulting Box

- Model: TQ2579
1. Specification: 1.2m*1.2m*0.9m/0.4m
2. Material: The cover is made of high quality PVC woven fabric and the infill heavy-duty foam.



Happy Children Colorful Folding Pad

- Model: TQ4779
Specification: 305cm*152cm*3.2cm

Happy Children Soft Gymnastic Combination

- Happy Children Gymnastic Ball
Model: TQ4526
Specification: $\phi 92\text{cm} \times \phi 50\text{cm} \times 92\text{cm}$



Ninja Series

GYMNASTICS SERIES

NINJA SERIES



Taishan Ninja Ramp Step I

- Model: TQ2700/1.01
SpecificationL 754*610*630mm; 4 pieces per set; anti-slip surface.
Material: PVC leather, woven fabric; infill: 30x XPE.
Weight: 9.5kg per piece; total weight: 38kg.



Taishan Ninja Single Barrier

- Model: TQ2700/1.02
Specification: 1220*600*760mm
Material: PVC leather, woven fabric, infill: 30x XPE.
Weight: 18.5 kg.



Taishan Ninja Single Bench


- Model: TQ2700/1.03
SpecificationL 600*600*370mm; 4 pieces per set; anti-slip surface.
Material: PVC leather, woven fabric; infill: 30x XPE.
Weight: 4.5kg per piece; total weight: 18kg.



Taishan Ninja Bench

- Model: TQ2700/1.04
Specification: 1220x508x660mm
Material: PVC leather, woven fabric, infill: 30x XPE.





Taishan Ninja Octagon

- Model: TQ2700/1.05
Specification: 760*630*630mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Cartwheel Mat

- Model: TQ2700/1.09
Specification: 530×330×130mm
Material: PVC leather, infill: 30x XPE.



Taishan Ninja Ramp

- Model: TQ2700/1.06
Specification: 2130*1520*450mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.



Ninja Folding Mat

- Model: TQ2700/1.11
Specification: 1240×2440×50mm
Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Folding Ramp

- Model: TQ2700/1.07
Specification: 1220*610*356mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Mat

- Model: TQ2700/1.12
Specification: 1510×1510×200mm
Material: PVC leather, infill: p22 sponge.



Taishan Ninja Big Mat

- Model: TQ2700/1.13
Specification: 2000×1480×300mm
Material: PVC leather, infill: p22 sponge.



Taishan Ninja Balance Beam

- Model: TQ2700/1.08
Specification: 1820×370×200mm, with anti-slip bottom.
Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Protective Mat

- Model: TQ2700/1.18
Specification: 2400×1180×100mm
Material: PVC leather, infill: p27.5 sponge.



Taishan Ninja Stepping Stone

- Model: TQ2700/1.14 ,
Specification: 914x533x635mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.
- Model: TQ2700/1.15
Specification: 1143x711x889mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.



Taishan Ninja Warped Wall

- Model: TQ2700/1.20
Specification: 1829x1067x2185mm
Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Mailbox

- Model: TQ2700/1.16
Specification: 825x400x500mm
Material: PVC leather, woven fabric, infill: heavy-duty foam.




Taishan Ninja Table, 3 Piece Design

- Model: TQ2700/1.21
Specification: 1220x762x915mm
Material: PVC leather, woven fabric, infill: 30x XPE.




Taishan Ninja Jump Box

- Model: TQ2700/1.17
Specification: 1215x610x625mm, with anti-slip surface.
Material: PVC leather, woven fabric, infill: 30x XPE and heavy-duty foam.



Taishan Ninja Slanted Steps

- Model: TQ2700/1.22
Specification: 754x610x630mm, a set of 4 pieces
(The structure is the same as TQ2700/1.01)
Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Warrior Wall

- Model: TQ2700/1.19
Specification: 2086x1200x1200mm,
Material: PVC leather, woven fabric, infill: 30x XPE.



Taishan Ninja Cylinder

- Model: TQ2700/1.23
Specification: φ730x750mm
Material: PVC leather, woven fabric, infill: high load sponge.

Landing Mat

GYMNASTICS SERIES

LANDING MATS

Landing Mat

There are two types of gymnastic landing mat: competition and training. The materials are PVC woven fabric, compressed foam and XPE. The default color of the landing mat is blue. Other colors are optional.


Features of the competition type: the cover is made from PVC woven fabric. Air can be easily expelled through the holes on the four sides of the mat. The handles on the bottom make moving easy. The structure of the XPE and the foam on the inside is symmetrical. Mats are connected via Velcro straps. They have good stability, easy installation, comfortable surface, and proper elasticity and follow high international standards.

Features of the training type: the materials are PVC woven fabric, compressed foam and XPE. The infill is made from XPE and compressed foam stuck together. Mats are connected via Velcro straps. Air can be easily expelled through the holes on the four sides of the mat. The handles on the bottom make moving easy. They have good stability, easy installation, comfortable surface, and proper elasticity.




Landing Mat for Pommel Horse (Competition type)

- Model: TQ1504A
- Specification: 400cm×400cm×10cm
- Unit size and quantity: 400cm×200cm×10cm (2 pcs)
- Total area: 16 m²




Landing Mat for Pommel Horse

- Model: TQ1585
(Used with composite material pommel horse)
- Specification: 400cm×400cm×10cm
- Unit size and quantity: 400cm×200cm×10cm (2 pcs)
- Total area: 16 m²



Landing Mat for Parallel Bars (Competition type)

- Model: TQ1510A
(Used with TQ1001B- JZ1016)
- Specification: 1120cm×450cm×20cm
- Unit size and quantity:
200cm×300cm×20cm (2 pcs)
100cm×125cm×20cm (4 pcs)
320cm×70cm×20cm (1 pcs)
190cm×320cm×20cm (2 pcs)
200cm×100cm×20cm (1 pcs)
- Total area: 33.4 m²



Landing Mat for Parallel Bars (Training type)

- Model: TQ1509/1 (Used with TQ2001)
- Specification: 1100cm×450cm×20cm
- Unit size and quantity:
200cm×300cm×20cm (2 pcs)
100cm×125cm×20cm (4 pcs)
300cm×70cm×20cm (1 pcs)
300cm×190cm×20cm (2 pcs)
200cm×100cm×20cm (1 pcs)
- Total area: 32.5 m²


Landing Mat for Horizontal Bar (Competition type)

- Model: TQ1511A
(Used with TQ1002, JZ1017)
- Specification: 1200cm×300cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (6 pcs)
- Total area: 36 m²



Landing Mat for Horizontal Bar (Training type)

- Model: TQ1502A
- Specification: 1200cm×200cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (4 pcs)
- Total area: 24 m²




Landing Mat for Rings (Competition type)

- Model: TQ1514A
(Used with TQ1006B- JZ1012)
- Specification: 500cm×200cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (1 pcs)
200cm×100cm×20cm (2 pcs)
- Total area: 10 m²




Landing Mat for Rings (Training type)

- Model: TQ1506A
- Specification: 600cm×200cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (1 pcs)
200cm×150cm×20cm (2 pcs)
- Total area: 12 m²




Landing Mat for Vaulting Table (Competition type)

- Model: TQ1513A
(Used with TQ1005B, JZ1015)
- Specification: 600cm×250cm×20cm
- Unit size and quantity:
200cm×250cm×20cm (2 pcs)
100cm×250cm×20cm (2 pcs)
- Total area: 15 m²




Landing Mats for Uneven Bars (Competition type)

- Model: TQ1512A
- Specification: 1400cm×200cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (4 pcs)
200cm×200cm×20cm (1 pcs)
- Total area: 28 m²




Landing Mats for Uneven Bars (Training type)

- Model: TQ1503A
- Specification: 1300cm×200cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (4 pcs)
200cm×100cm×20cm (1 pcs)
- Total area: 26 m²




Landing Mat for Vaulting Table (Training type)

- Model: TQ1505A
- Specification: 800cm×300cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (4 pcs)
- Total area: 24 m²




Supplemental Mat for Vaulting Table

- Model: TQ1512A.04
- Specification: 300cm*200cm*30cm



Upper Protective Mats for Trampoline

- Model: TQ1013.01
- Specification: 940cm×305cm×20cm
- Unit size and quantity:
300cm×200cm×20cm (2 pcs)
300cm×40cm×16cm (2 pcs)
201cm×57cm×5cm (2 pcs)
173cm×57cm×5cm (4 pcs) with arc edge
173cm×57cm×5cm (2 pcs)
- Total area: 20 m²



Landing Mats for Trampoline

- Model: TQ1556A
- Specification: 1320cm×690cm×20cm
- Unit size and quantity:
200cm×300cm×20cm (8 pcs)
200cm×290cm×20cm (2 pcs)
200cm×120cm×20cm (2 pcs)
- Total area: 64.4 m²



Mobile Mat

- Model: TQ2546
- Specification: 150cm×100cm×14cm
- Features: the cover is made from PVC woven fabric. It has good stability, easy installation, comfortable surface, and proper elasticity. Used in uneven bars and trampoline.





Landing Mats for Balance Beam (Competition type)

- Model: TQ1515A
- Specification: 1800cm×400cm×20cm
- Unit size and quantity:

 - 200cm×200cm×20cm (1 pcs)
 - 300cm×200cm×20cm (3 pcs)
 - 100cm×100cm×20cm (4 pcs)
 - 250cm×200cm×20cm (4 pcs)
 - 200cm×100cm×20cm (1 pcs)

- Total area: 48 m²





- TQ1525 Supplemental Mat1# 200cm×200cm×10cm Used in artistic gymnastics.
 - TQ1526 Supplemental Mat2# 200cm×300cm×10cm Used in artistic gymnastics, beams and parallel bars.
 - TQ1527 Supplemental Mat3# 200cm×400cm×10cm Used in horizontal bar,rings and beams.
 - TQ1528 Supplemental Mat4# 200cm×500cm×10cm Used in uneven bars and horizontal bar.
 - TQ1529 Supplemental Mat5# 200cm×600cm×10cm Used in vaulting horse.
- Features: The mats are made from premium PVC woven fabric. The handles make moving easy. The light foam on the inside provides moderate hardness. It is wear-resistant, water-proof, and durable.

Landing Mats for Balance Beam (Competition type)

- Model: TQ1586
- (Used with composite material balance beam)
- Specification: 1800cm×400cm×20cm
- Unit size and quantity:

 - 200cm×200cm×20cm (1 pcs)
 - 300cm×200cm×20cm (3 pcs)
 - 100cm×100cm×20cm (4 pcs)
 - 250cm×200cm×20cm (4 pcs)
 - 200cm×100cm×20cm (1 pcs)

- Total area: 48 m²



Landing mat


- Model: TQ2725/1
- Specification: 200cm×300cm×50cm
- Material: PVC cover and foam infill

Landing Mats for Balance Beam (Training type)

- Model: TQ1507A
- Specification: 1700cm×600cm×20cm
- Unit size and quantity:

 - 200cm×300cm×20cm (9 pcs)
 - 200cm×150cm×20cm (4 pcs)

- Total area: 66 m²



Support Block (Customized Size is Acceptable)

Model	TQ2616	TQ2696
Specification	50cm×50cm×50cm	90cm×70cm×50cm

03

EVENT CASES

Events

100-102

Cases Design

103-104

Events & Exhibitions

EVENT CASES



Chengdu 2021 FISU World University Games



The 19th Asian Games Hangzhou 2022

► Competition



Artistic Gymnastics Asian Championships
2023



The 17th African Artistic Gymnastics Championships
2023



The 9th Artistic Gymnastics Asian Championships in Qatar
2022




The 31st South East Asian Games
2022

► Exhibitions




FSB Cologne in Germany 2023



The 40th China Sport Show 2023



The Canton Fair 2023



The 3rd China International Consumer Products Expo
2023

► Gymnasium



Almaty BOP Gymnastic training center 2022



Boulazac Gymnasium in France 2022



Dubai Gymnasium 2022




Abu Dhabi Gymnasium 2022



Almaty Сдүшор 9 gymnastic training hall 2023

Cases Design

EVENT CASES



Basic Information

- Project Location: Japan
- Project Name: Scene design of the 50th Artistic Gymnastics & the 38th Rhythmic Gymnastics World Championships in Japan

Project Concept

- **Regional Planning**
In strict accordance with the relevant requirements of the International Federation of Sports, with reasonable spacing, non-interference, all-round comprehensive perspective reasonable planning.
- **Product configuration**
Breaking down years of technical barriers, all equipment are made of carbon fiber and are all FIG certified.
- **After-sales guarantee**
In accordance with the 3A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.



Basic Information

- Event Location: China
- Event Name: the 2022 "Sports Cup" National Gymnastics Team Championship

Event Concept

- **Venue Equipment**
High platform, carbon fiber gymnastics equipment, parallel bars, horizontal bars, uneven bars, rings, pommel horse, vaulting table, artistic gymnastics venue, floor exercise venue, certified supplementary MATS, etc.
- **Other Equipment**
The venue is equipped with lighting, sound, sports display, timing and scoring equipment.
- **Service Guarantee**
According to the needs of different events, Taishan Sports has configured corresponding professional quality inspection, installation, translation and other guarantee teams to ensure the smooth progress of the event.

The gymnastics equipment is certified by FIG, NSCC, etc., to meet the needs of competitions. The products include a full set of gymnastics equipment, special MATS, trampolines, single springboard, artistic gymnastics venues, aerobics venues, etc. The full set of carbon fiber equipment independently developed also fills the gap in the industry. Taishan Sports has successfully served more than 1,000 major events at home and abroad, including the Olympic Games and the Youth Olympic Games.



Sportexpert sinds 1945 !

SPORTA DE WAELE bv

Gentsesteenweg 190

9240 ZELE-België/Belgique/Belgium

Producent en installateur van sportinstallatie, turn-,
fitness en speeltoestellen & sportaccessoires

☎ 052/44 43 38



sporta@sporta-de-waele.be



www.sportadewaele.com